



AMF
Voit

Swimaster


1971 | Catalog No. 271DN

PRICE \$1.00




MR12 REGULATOR

Designed especially for professional and military divers, where maximum air delivery at greater depths with an absolute minimum of inhale and exhale resistance is essential. Depth compensated and pressure balanced first stage. Moving parts made of stainless steel, are passivated per military specifications. (Pack 1, 4 lbs.)



SECOND STAGE R12J & MR12



FIRST STAGE MR12



R12J



R12

Swimaster Regulators

R12J TITAN II REGULATOR

A fully balanced first stage, extra large exhaust ports, less inhale or exhale effort than other regulators. Equipped with 300 lb. constant reserve. (Pack 1, 4 lbs.)

R12 TITAN II REGULATOR

This unit gives you all the features of the R12J. The only item not included is the built-in reserve unit. This can be incorporated by the installation of a V1JR reserve unit available at your Swimaster dealer. (Pack 1, 4 lbs.)

R14 POLARIS II REGULATOR

Piston type first stage that contains only one moving part. Combined with the same second stage as the R12 with extra large exhaust ports to provide minimum inhalation-exhalation effort. Chin rest built into the exhaust opening for added comfort. (Pack 1, 3 lbs.)

R10 "LITTLE GEM III" REGULATOR

Piston first-stage with only one moving part, protected by a back-up ring that seals out fouling sediment. Lever action second stage. Exhaust ports are recessed. (Pack 1, 2½ lbs.)



R14



R10



g.

f.

d.

e.

a.

b.

c.

h.

Swimaster Tanks

All Swimaster tanks are galvanized, internal coated and equipped with either moderate depth non-reserve valve or pre-set constant reserve valve. All tanks use $\frac{3}{4}$ " O-Ring seal valve. (Snugpack not included.)

GALVANIZED — 71.2 CUBIC FEET


- a. — **T17C** Galvanized tank. 71.2 cubic feet. No valve (Pack 1, 29 lbs.)
- b. — **T17KC** Galvanized tank. 71.2 cu. ft. with **V1K** valve (Pack 1, 35 lbs.)
- c. — **T17JC** Galvanized tank. 71.2 cu. ft. with **V1J** valve (Pack 1, 36 lbs.)

YELLOW — 71.2 CUBIC FEET

- d. — **TY17C** Yellow tank. 71.2 cubic feet. No valve (Pack 1, 29 Lbs.)
- e. — **TY17KC** Yellow tank. 71.2 cu. ft. with **V1K** valve (Pack 1, 35 lbs.)
- f. — **TY17JC** Yellow tank. 71.2 cu. ft. with **V1J** valve (Pack 1, 36 lbs.)
- g. — **TO17JC** Orange tank. 71.2 cu. ft. with **V1J** valve

TWIN — 71.2 CUBIC FEET

- h. — **T27JC** Twin tanks, 71.2 cubic feet with V2J twin manifold reserve valve and band assembly, including handle. (Pack 1, 74 lbs.)



Swimaster Snugpacks

VTSP TWIN SNUGPACK®

Contoured, comfortable patented backplate. Steel handle precisely positioned so that entire tank is balanced when being carried. Non-slip black nylon webbing, metal snaps on shoulder strap. Stainless steel quick release buckle. (Pack 1, 5 lbs.)

VSP DELUXE SINGLE SNUGPACK®

Contoured, comfortable patented backplate is virtually unbreakable and impervious to the elements. Quick release lock holds tank firmly in place yet allows instant, easy change. Rugged, steel handle precisely positioned so that entire tank is balanced when being carried. Non-slip black nylon webbing is a full two inches wide for comfort, and has quick release metal snaps on shoulder strap. Stainless steel quick release buckle. (Pack 1, 3½ lbs.)



DS261 TWIN PLATE AND HARNESS ASSEMBLY

This unit is identical in design and construction as the VTSP Twin Snugpack with the exclusion of the tank band and carrying handle. Fits all Swimaster twin tanks that are already equipped with band assembly. (Pack 1, 3 lbs.)

DS225 Deluxe carrying handle for VSP and VTSP

DS495 Tank Boot, non-marking black





Swimaster Valves and Gauges

Designed with clean smooth lines and lowest profile on the market. All fittings are sealed with positive O-ring seals to prevent any possibility of leaks. Same interchangeable reserve unit is used on V1J valve and R22J and R12J regulators.

V2J TWIN CONSTANT RESERVE VALVE ASSEM.

Reserve set at 500 p.s.i. Sure-grip knob. Two Safety blow-out plugs. Sure grip spin wheel knob can be positioned on top or bottom for added versatility. Valves have $\frac{3}{4}$ "-14 MPSPM threads and O-ring seal with positive leakproof design accepted by the Department of the Navy. Both valves have safety port to warn against accidental removal of valve while tank is under pressure. Designed for fast, easy maintenance and years of trouble free service. Manifold has safety plug in both body forgings for added safety. (Pack 1, 4 lbs.)

The V1K and V1J Swimaster valves are the smallest and most compact valves on the market today. All parts are stainless steel or highly polished Navy brass forgings and are permanently lubricated for life long protection. All valves have a safety port to provide warning against accidental removal of valve while tank is under pressure. All valves have $\frac{3}{4}$ "-14 NPSM straight threads and O-ring seal with positive leakproof design accepted by the Department of the Navy.

V1K SWIMASTER NON-RESERVE VALVE

All the quality features of the V1J valve except no reserve mechanism. V1K valve has a pressure gauge adapter which can be installed while cylinder is under pressure to allow for easy installation of submersible pressure gauge. Through the separate available reserve unit, a V1K valve can be converted to a V1J valve easily, quickly and safely. (Pack 1, 1 lb.)

V1JR RESERVE UNIT

The V1JR Reserve can easily be installed in V1K valve or R22 and R12 regulator to make them into full reserve units. All parts are stainless steel or highly polished Navy brass forgings and are permanently lubricated for lifelong protection (Pull rod not included). (Pack 1, $\frac{1}{2}$ lb.)

V1J SWIMASTER CONSTANT RESERVE VALVE

Valve maintains a constant reserve pressure of 300 p.s.i. Sure grip knob makes it easy to open and close valve. Easy removal of valve for maintenance. Reserve has a positive and pronounced detent mechanism to prevent accidental actuation. (Pack 1, $1\frac{1}{2}$ lbs.)

DS108 UNDERWATER PRESSURE GAUGE

Finest available. Side mounted with rubber shock cover. Graduated in psi and ksc. Operational to 250 feet. (Pack 4, 4 lbs.)

DG100 OIL FILLED DEPTH GAUGE

The DG100 is considered the finest underwater depth gauge available. It is calibrated to 250 feet with large, easy-to-read markings.

DS107 PRESSURE GAUGE

Positive check of air supply, bleeder valve, shock proof rubber case. Calibrated in psi and ksc. (Pack 1, 1 lb.)

DC300 COMPASS

Most accurate underwater compass available. Made of black anodized, non-magnetic aluminum. Not limited to underwater use. Easy to read. (Pack 4, 1 lb.)



The 2F96 "Mark IX" Fin... built for greater efficiency

Swimaster has applied sound engineering principles to the design of a new fin and the result is the revolutionary 2F96 "Mark IX" Fin.

The "Mark IX" provides greater efficiency in a variety of ways. First, the foot pocket is set deep into the blade, removing stress from the instep and transferring it to the ankle, where there is greater strength. Second, the forward top of the foot pocket is bowed slightly to conform to the contour of the toes and prevent cramping. Third, the blade is tapered for its entire length. This tapering permits the tip to start curving **immediately** upon a change in force or direction, eliminating time lag present with other fins.

It is the forcing of the curved blade through the water that produces forward motion, therefore the immediate reaction of the "Mark IX" provides immediate power.

Fourth, tapered ribs provide the resistance needed for power.

An important "Mark IX" quality! This type of fin can not be "over-kicked" — it will always provide power in proportion to effort. A slower kick — less effort, less power. A harder kick — more effort, greater power. Either way — no wasted effort! Due to the unique design of the "Mark IX," fatigue factor is reduced because effort does not increase in proportion to power delivered.

Fits all adult sizes. (Pack 3, 20 lbs.)

AMF
Swimaster



A66B



A6BK

Swimaster Fins

A66B VIKING® GIANT FINS

The biggest and the best giant size professional fins with exclusive Viking design. Extra wide blade and stiff ribs supply the extra powerful thrust needed for prolonged diving. Special, soft molded foot pocket always stays comfortable. Two-tone royal blue fins fit either foot — and they float.

SIZES: Medium Large, shoe sizes 7-9; Large, shoe sizes 9-11; Extra Large, shoe sizes 12-up. Black. (Pack 3, 19 lbs.)

A6BK VIKING® FINS

Choice of the experts. Symmetrical, Viking-curved blade has raised ribs to channel the water and increase thrust. Soft, comfortable foot pocket. Black rubber fins fit either foot — and they float. Sizes M, ML, L. (Pack 3, 12½ lbs.)

Swimaster Masks ...

designed for specific needs

Swimaster produces a wide range of masks in a variety of styles and sizes. Swimaster concentrates on keeping the masks functional — one example of this is the low volume design, where each mask has a low volume of air within the mask for less waste of air in equalizing inside and outside pressure. Wide vision is another important feature of every Swimaster mask. Intelligent design and careful manufacture are always emphasized.

2M45 "FULL VIEW" MASK

At last . . . a mask with full vision and a double seal to provide a comfortable, positive face seal.

The "Full View" incorporates an easy activating purge valve. In addition, it has the smallest volume of any wrap around mask. Great for free diving and Scuba diving. Nose pocket provides easy and rapid ear pressure equalization.

2M35 WIDE VIEW MASK

One-way clearing. Non-return exhaust valve. Perfect seal for every facial contour with exclusive foam neoprene sealing edge. Safety lens with unique shape provides minimal air displacement for easy diving. (Pack 6, 7 lbs.)

2M44 "ATLANTIDE"

Is one of the finest quality, low air volume masks available on the market. A double seal provides a soft, positive face seal. The lens is close to your face which provides almost unrestricted vision. The mask band is brass chrome plated. (Pack 6, 5 lbs.)

2M14 "MALIBU" MASK

Soft flared edge provides exceptional face seal. Finger wells aid in equalization. Black, with large oval safety lens and stainless steel fittings. (Pack 6, 6 lbs.)

2M29 "CUSTOM" MASK

Designed to fit a narrow face. Oval tempered lens, for safety in public and private pools. Stainless steel fittings. (Pack 6, 6 lbs.)

Swimaster Snorkels

Swimaster snorkels stress mouth comfort and ease of breathing. Each snorkel is engineered with smooth inside curves to reduce breathing effort while the mouthpiece is designed to conform to the shape of the mouth. Regardless of how hard the diver is working, air intake is always adequate. Smooth design also permits easy purging of water from the snorkel.

2S45

Soft custom mouth with light weight durable wrap around tube. Ideal for free diving. Proven in use by the "pros." (Pack 12, 6½ lbs.)

2S20 SPEARFISHERMAN STRAIGHT TOP SNORKEL

Designed for comfort. Large tube I.D. and mouthpiece opening makes this snorkel ideal for the "Pro." (Pack 12, 6½ lbs.)

2S21 SPEARFISHERMAN PERISCOPE TOP SNORKEL

Exclusive periscope top ideal for rough water use by preventing water overflow into snorkel from wave action. (Pack 12, 6½ lbs.)

2S30 BELLO-FLEX STRAIGHT TOP SNORKEL

L-shaped mouthpiece of "Bello-Flex" causes less bulk and breathing resistance when in use. (Pack 12, 6½ lbs.)

2S31 BELLO-FLEX PERISCOPE TOP SNORKEL

L-shaped mouthpiece combined with exclusive periscope top that is ideal for rough water usage. (Pack 12, 6½ lbs.)



2M45



2M35



2M44



2M14



2M29



2S45



2S20




2S21




2S30



2S31



4G44



4G45




4G32



4G46



4G50



2G66



2G48



2G30

Swimaster Guns and Pole Spears

Swimaster guns lead the field

Quality — of design, engineering and manufacturing — has established Swimaster guns as the best in the business. This quality is due, to a large extent, to the thorough knowledge of spearfishing gained by the Swimaster experts over a period of many years. These specialists know the needs of the underwater fisherman.

The guns, efficient and reliable, are made primarily of stainless steel, with anodized aluminum grip and muzzle. The stainless steel shaft is tempered for strength. A big plus for Swimaster is the fact that the sling, shaft and sear are set in a straight line. This assures greater accuracy and power.

A wide assortment of stainless steel spearpoints provides the diver with the range needed for all types of fish and spearfishing conditions.

To the world-famous line of Swimaster spearguns is now added the 4G50 "Magnum 450" — the ultimate in long-range guns. In this new gun, a hard-anodized, heavy-walled, tempered aluminum barrel provides a new strength and prevents "barrel bow." In addition, mar-

aging steel, a space age development, is used in the shaft of the gun. This steel allows the shaft to snap straight immediately upon release assuring greater accuracy.

4G50 "MAGNUM 450"

Overall length 75". 3 slings. 84P500 "Magnum 500" spearpoint. (Pack 1, 7½ lbs.)

4G46 MAGNUM SPEARFISHING GUN

Overall length 62". 3 slings. 84P-423 spearpoint. (Pack 1, 5½ lbs.)

4G45 TOP-LOADER SPEARGUN

Overall length 57½". 2 slings. 84-224 twin spinner arrowhead tip. (Pack 1, 5 lbs.)


4G44 SAWED OFF MAGNUM

Overall length 53". 2 slings. (Shaft has extra notch for conversion to 3 sling model.) 84-240 twin spinner rock point. (Pack 1, 4½ lbs.)

4G32 CUSTOM MODEL

Overall length 30". 2 slings. 84-225 single barb spearpoint. (Pack 1, 3 lbs.)

CUTAWAY ILLUSTRATION OF SWIMASTER GUN



Stainless steel shaft, sear, trigger and spearpoint all in one plane to insure quiet, accurate shot.

1¼" aluminum barrel guaranteed to remain water-tight to depths of 150 feet for a period of one year.

CATALOG NUMBER	NAME	OVERALL LENGTH	BARREL LENGTH & DIA.	SHAFT LENGTH & DIA.	SLING LENGTH	NO. OF SLINGS	APPROX. LB., LOAD PER GUN	SLING ARRESTER	TYPE SPEAR-POINT	PRIMARY USE
4G50 New	Magnum 450	75"	48" x 1¼"	56" x ⅜"	30"	3	194	—	84P500	Fast loading. Use on large or fast swimming fish: yellowtail, bass, grouper
4G46	Magnum	62"	40" x 1¼"	48" x ⅜"	25"	3	208	—	84P423	Use on large, fast swimming fish: yellowtail, bass, grouper and striped bass.
4G45	Top Loader	57½"	32" x 1¼"	40" x ⅜"	20"	2	151	Yes	84P224	Best all around gun available; sling arrester permits fast loading. An excellent gun for competitive spearfishing
4G44	Sawed-Off Magnum	53"	28" x 1¼"	36" x ⅜"	20"	2	135 (202 with 3 slings)	—	84P240	Great power in medium length gun. For in close or medium distance shooting large or small fish
4G32	Custom	30"	16⅞" x 1"	24" x ⅝"	14"	2	100	—	84P225	Short barrel makes it the most popular gun in kelp, coral or rock jetties; two slings give power for deep penetration at close range

CUSTOM POLE SPEAR A size to meet every need. Made of tempered aluminum tubing with space age black anodized finish. All other parts are stainless steel or brass chrome plated. Available in 2 lengths, plus 30" extension. "Custom build the length you need." The 2G30 extension can be added to either length pole. 2G48 plus the 2G30 equals a 6½' long pole spear. 2G66 plus the 2G30 equals an 8 foot pole spear. Length of sling can be adjusted and used on butt ends of pole spear or extension. Pole spears do not include a spear head. Packed in plastic carrying tube.

2G48 48" long pole spear with sling (Pack 1, 1½ lbs.)

2G66 66" long pole spear with sling (Pack 1, 2 lbs.)

2G30 30" long extension without sling (Pack 1, 1 lb.)

Spear Shafts

All shafts are stainless steel

84P201 ⅝" x 24". For 4G32 Gun

84P211 ⅝" x 48". For 4G42 and 4G46 Guns

84P188 ⅝" x 36". For 4G44 Gun

84P282 ⅝" x 48". For 4G48 Gun

84P267 ⅝" x 40". For 4G45 Gun

(All pack and weight to order)

Shock Line

84P304 For all Swimaster guns except 4G50

Sling Assemblies

84P308 SLING ASSEMBLY 14". For 4G32 and G6 Guns



84P307 SLING ASSEMBLY 25". For 4G40, 4G42, 4G46, 4G48.

84P306 SLING ASSEMBLY 20". For 4G44, G45 Guns

(All pack 2, ½ lb.)

Sling

84P514 34". For 2G66, 2G48 pole spears. (Pack 1, ¼ lb.)



Swimaster Spearpoints

No one spearhead is suitable for all types of spearfishing. Therefore, Swimaster offers a wide variety of proven designs to accommodate the varied needs. The top spearfishermen always carry an extra shaft and several spearheads. There is nothing so disappointing as having a dive trip ruined because of a bent shaft or lack of a proper spearhead. All Swimaster authorized pro shops will help you in your selection of the proper gun and spearhead for the fish you're after.

SPECIAL SWIMASTER SPEARPOINT FEATURES

- All stainless steel
- Replacement tips available for models 84-240, 84-230
- Barbs spin on spearhead which prevents head pull-out
- Barbs located close to head of point which facilitates barb activating with minimum penetration

SPEARPOINTS

(all pack and weight to order)

a. — 84P359 DETACHABLE TRI-CUT TWIN SPINNER

A great head for big, fast swimming fish. Heavy duty barbs that spin on detachable cable.

b. — 84P423 Bullethead Detachable

c. — 84P364 DETACHABLE ARROWHEAD TWIN SPINNER

A deep penetrating head. Excellent for big, hard scaled fish.

d. — 84P235 TRI-CUT TIP FOR 84P230

e. — 84P424 "Magnum 500" hinged quick detachable

f. — 84P265 TRIDENT POINT

New triple barb, stainless steel point.

g. — 84P240 TWIN SPINNER-ROCK POINT

Same as Twin-Spinner Tri-Cut, double barb, round cut.

h. — 84P230 TWIN SPINNER TRI-CUT

j. — 84P247 5" TRI-CUT HEX SLIP-TIP

Same as 84P217 except recommended for use in open water on large game fish to 500 lbs.

k. — 84P283 Slip tip adapter for 84P217, 84P246, 84P247

l. — 84P217 4" TRI-CUT HEX SLIP-TIP

Hex stock with hollow ground tri-cuts. Ribbed flutes.

m. — 84P225 SINGLE BARB

Conventional single swinging barb for small fish to 5 lbs.

n. — 84P241 ROCK POINT TIP FOR 84P240

o. — 84P300 ADAPTER

Adapts Swimaster shafts to metric heads.

o. — 84P301 ADAPTER

Adapts metric shafts to Swimaster heads.

p. — 84P224 TWIN SPINNER ARROWHEAD TIP

Twin barbs prevent "spin-off."

q. — 84P505 DETACHABLE ADAPTER

For converting spearheads 84P240, 84P224, and 84P230 to detachable heads. Also used as replacement unit on 84P364 and 84P359.



Accessories

2K8 DIVER'S LEG KNIFE 7" BLADE

Stainless steel blade and utility top cap for pounding. Blade is numbered and serrated with handy line cutter. Attractive patterned molded sheath with positive "O" ring retainer and lock grips to prevent loss of knife. (Pack 1, 1 lb.)

8K8 DIVER'S LEG KNIFE 7" BLADE

Same as 2K8—orange handle.

2W25 WEIGHT BELT

2" x 54" black cotton belt. Over center release stainless steel buckle. (Pack 6, 4 lbs.)

2W24 DIVER'S WEIGHT BELT

Heavy duty 2" black nylon belt, stainless steel quick release buckle. (Pack 6, 4 lbs.)

8W24 DIVER'S WEIGHT BELT

Heavy duty 2" orange nylon belt with stainless steel quick release buckle. (Pack 6, 4 lbs.)

VOIT WEIGHTS

2W2 2 lb. lead weight (Pack 6)

2W3 3 lb. lead weight (Pack 6)

2W5 5 lb. lead weight (Pack 6)

HIP WEIGHTS

2W6 6 lb. lead weight (Pack 2)

2W8 8 lb. lead weight (Pack 2)

2W10 10 lb. lead weight (Pack 2)



Dive Suits

The men that design Voit dive suits use the prototypes and the finished products in a variety of ocean waters under actual diving conditions. Through their experience and their research, dependable dive suits are created.

Voit dive suits combine the qualities necessary for the various watersports. Free diving, SCUBA diving, commercial diving, surfing and water-skiing—each calls for a dive suit with built-in warmth, stretch and strength. Voit's intensive research, detailed designing and expert manufacture have produced a line of suits that presents the ideal combination of these three attributes. The specially-developed neoprene material provides minimum water-absorption and gives optimum insulation from cold waters. This neoprene also has the ability to stretch and conform to the diver's body, allowing for comfortable movement yet, at the same time, is strong and abrasion-resistant for reliability and long life. Voit dive suits easily meet all requirements and specifications of ASTM (American Society for Testing and Materials). Whether you swim and dive in Northern, Southern, Eastern or Western waters, whatever the water temperature, summer or winter . . . Voit will suit you!

SDS42 Men's 3/16" Flex-O-Pattern "Super Suit"

High bib pants with the sure-lock velcro shoulder fastener virtually eliminate any circulation of water (takes the place of a vest) making this the warmest suit available. The deep impressions molded into the orange nylon lined neoprene facilitate maximum stretch and flexibility—the Flex-O-Pattern. Sewn seams. Truly a "Super Suit." Sizes S, M, ML, L, XL. (Pack 1, weight 9 lbs.)

SDS42H 3/16" Cold Water Hood

Sizes S-M, L-XL (Pack 1, 1 lb.)

SDS52 Men's 1/4" Flex-O-Pattern "Super Suit"

Same top quality suit as the SDS42 constructed from 1/4" rather than 3/16" neoprene. Sizes S, M, ML, L, XL. (Pack 1, weight 10 lbs.)

SDS52H 1/4" Cold Water Hood

Sizes S-M, L-XL (Pack 1, 1 lb.)





SDS41 Men's 3/16" Deluxe Suit


Tailored for comfort (wrinkle-free shoulder line and one piece "beaver tail" with swivel-lock fasteners) and warmth (extra high pants, snug collar, and 5 outside zippers) make this a truly deluxe suit. All inside seams of the blue nylon lined TEXTURED neoprene are loop stitched for extra long life. (Pack 1, 8 lbs.)

SDS41H 3/16" Hood

Sizes S-M, L-XL (Pack 1, ½ lb.)

SDSW14 Women's 3/16" Suit

In addition to all of the deluxe features of the SDS41, this suit radiates high fashion in its blue and green striped front panel. Exclusive natural bust line and tapered waist (made possible by an eight inch hip zipper in the pants) provide unrivaled feminine comfort in a dive suit. Sewn seams. Sizes 10, 12, 14. (Pack 1, weight 7 lbs.)



SDS104 Men's 3/16" Suit

Black nylon lining, five trouble-free nickel plated zippers, and brass/chrome swivel-lock fasteners all add to the comfort and durability of this standard wet suit. Sizes S, M, ML, L, XL. (Pack 1, weight 8 lbs.)

SDH104 3/16" Hood

Sizes S-M, L-XL (Pack 1, 1/2 lb.)

MEN'S SIZES				
	CHEST	WAIST	WEIGHT	HEIGHT
SMALL	35-38	29-32	135-160	5'5"-5'9"
MEDIUM	37-40	31-34	155-175	5'7"-5'11"
MED. LARGE	39-42	33-37	170-200	5'9"-6'
LARGE	41-44	36-39	195-225	5'11"-6'2"
EXTRA LARGE	43-46	38-42	202-245	6'-6'4"
WOMEN'S SIZES				
DRESS SIZES	10	12	14	
BUST	32-34	34-36	36-38	
WAIST	20-24	23-27	26-30	
HIPS	32-36	36-38	38-40	
WEIGHT	90-110	110-130	120-145	
HEIGHT	4'9"-5'3"	5'2"-5'6"	5'5"-5'8"	







Ski Jackets

WSM1J Men's 1/8" Ski Jacket

Contoured shoulders, flexible 1/8" nylon covered neoprene, and a narrow "beaver tail" make this the perfect water ski jacket (also great for swimming when the water isn't as warm as you might like). All seams are sewn to withstand the hardest of falls. Available in complimentary combinations of red, dark blue, light blue, and black. Sizes S, M, L, XL. (Pack 3, mixed colors, weight 7 lbs.)

WSW1J Women's 1/8" Ski Jacket

Same great ski jacket as the men's WSM1J with natural bust contour. Sizes 10, 12, 14. (Pack 3, mixed colors, weight 7 lbs.)

Surf Suits

WSM24S Nylon Lined "Short" Surf Suit

Constructed from flexible 1/8" neoprene, nothing is spared in workmanship. The finest finishing detail available, all seams are sewn, outside edges are rolled and zigzag stitched. This suit is designed for "action" whether it be surfing, skiing, or swimming. Sizes S, M, L, XL. (Pack 1, weight 3 lbs.)

WSM25S Nylon Lined "Long" Surf Suit

Fabricated in the same quality fashion as the WSM24S "short" suit, this model has long legs with large knee pads which permit you, the surfer, to comfortably engage in "knee paddling." Sizes S, M, L, XL. (Pack 1, weight 5 lbs.)



SDL-3



DS-643

WSL-1

Accessories

SDL-3 ORANGE SAFETY VEST

Rubberized nylon vest-style preserver. Stainless steel "D" rings and quick adjustment snap, plus water drain valve. Inflated by mouth and/or replaceable, extra capacity, 16 gram CO₂ cartridge. Full length nickel silver zipper. (Pack 4, 7 lbs.)

SDL-3B BLACK SAFETY VEST

Same as SDL-3 only black.

DS-643 16 GRAM CO₂ CARTRIDGE REFILLS

(Pack 10, 2 lbs.)

WSL-1 SWIMASTER DIVER'S TRAVEL CASE

Lightweight, strong, durable luggage! Blue in color, made of 100% Acrilan. Carries 5 year guarantee against mildew, scratching, fading, shrinking and stretching. Water repellent wrinkle-proof bag with vinyl reinforced bottom. Non-corrosive double zipper running across both the top and sides. Straps adjust for use either as hand grips or shoulder harness. (Pack 1, 2½ lbs.)

2B8 3/16" NYLON-LINED ZIPPERED ROCK BOOT

Has non-slip sole. All seams glued and sewn. Sizes S, M, L, XL. (Pack 6, 6 lbs.)

2B9 3/16" NYLON-LINED HARD SOLE BOOT

Has hard non-slip sole. All seams glued and sewn. Sizes S, M, L, XL. (Pack 6, 6 lbs.)

2B5 FLIPPER SLIPPERS (Sizes 5-13)

Protect feet from rocks and coral. Cushion comfort. (Pack 6, 6 lbs.)

SDG7 FIVE FINGER GLOVES

3/16" Nylon lined neoprene. An all around neoprene glove that is built to stand up under severe cold water conditions. Comes in 4 sizes: Sm., Med., Lg., and XL. Nylon backing makes gloves easy to slip on and remove. (Pack 6, 6 lbs.)

RU6 NEOPRENE CEMENT

4 oz. container with brush in cap. (Pack 12, 3 lbs.)

SDA3 SKIN AND SCUBA DIVING BOOK

Complete instructional paperback on skin and scuba diving.

SDA4 SPEARFISHING — How and Where by Bill Barada.

REGULATOR REPAIR TOOLS

- 85P926** Wrench for retaining nut 85P420
- 85P928** Wrench for 1st stage housing 85P864
- 85P929** Wrench for reserve handle nut 85P879
- 85P927** Wrench for reserve stem retainer 85P877
- 85P1027** Attaching tool—Mouthpiece clamp
- 85P1028** V-66 Adapter for test gauge
- 85P1015** Test pressure gauge
- 46P350** Maintenance and repair manual



Member of Diving Equipment
Manufacturers Association

Member of Athletic Goods
Manufacturers Association



SWIMASTER
by **AMF** VOIT

3801 S Harbor Blvd
Santa Ana, Calif 92704

29 East Rawls Road
Des Plaines, Illinois 60018

29 Essex Street
Maywood, New Jersey 07607

367 John St N W
Atlanta, Georgia 30302

1485 Bayshore Blvd.
San Francisco, Calif. 92124

Export Sales Office **AMF INTERNATIONAL**
Division of AMF INCORPORATED
261 Madison Avenue, New York 10016, N Y, U S A
CABLE: AMMAFOCO, NEW YORK